

James E. Smith (Timber) Ltd.

Tel: 0121 523 1842

Fax : 0121 554 3875

Unseasoned Sawfelling Softwood (* Some Gate posts are 4 WAY WTHD)

Length (m)	1.2	1.5	1.65	1.8	2.1	2.3	2.4	2.6	2.7	3.0	10'	3.3	3.6	12'	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0	6.1	6.6	7.2	
Size (mm)																										
100 x 100							2																			
100 x 125																										
100 x 150																										
100 x 200																				1						
100 x 225																										
100 x 250																										
100 x 300																		2								1
125 x 125 *																										
125 x 250								12																		
150 x 150 *																										
175 x 175 *																										
200 x 200 *					2																					
150 x 300																			1							2
300 x 300																			3	1						1

GREEN TTD F/E BOARDS

Length (m)	0.9	1.2	1.5	1.65	1.8	2.1	2.4
Size (mm)							
2Ex.22x100							
2Ex.22x125							
2Ex.22x150							

UNTREATED F/E BOARDS

Length (m)	0.9	1.2	1.5	1.65	1.8	2.1	2.4
Size (mm)							

K.D.Red Decking FSC Tanalith E TTD

Length (m)	2.4	3.0	3.6	4.2	4.8	5.4
Size (mm)						
32 x 125						
38 x 125						

Fence Battens / Slats / Cappings

Length (m)	6'	1.80	1770	5'	1.50	1467	4'	1.20	1162	914	856
Size (mm)											
16 x 38											
18 x 29											
W.1.E.Slats											
CAPPINGS											

GREEN TTD BATTENS ** = GRADE STAMPED

Length (m)	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7
Size (mm)										
19 x 38			1							
25 x 38			**1				**18			
25 x 50			**6				**31			

